

PED PUSH BUTTON-SIGN (R10-3)



PUSH BUTTON EXTENSION (OPTIONAL, SEE NOTE 2)

NOTES:

NON-ADA ACCESSIBLE SURFACE

 DETAIL IS APPLICABLE WHEN THE PED PUSH BUTTON IS MOUNTED ON A POLE WITHIN A NON-ADA ACCESSIBLE SURFACE (E.G.: MEDIAN ISLAND).

2. PED PUSH BUTTON EXTENSIONS MAY BE NECESSARY

IN ORDER TO ACHIEVE THE 10" MAX. REACH FROM AN ACCESSIBLE SURFACE. SEE PLAN SHEETS FOR DETAILS.

**SIGN R10-3** 

MAX.


## NOTES:

- ALL PEDESTRIAN PUSH BUTTON SIGNS SHALL MEET THE REQUIREMENTS OF THE MOST RECENTLY ADOPTED VERSION OF THE MUTCD.
- SIGNS MAY BE MOUNTED IMMEDIATELY ABOVE OR INCORPORATED INTO THE PUSH BUTTON UNITS.
- THE FINGER IN THE PUSH BUTTON SYMBOL SHOULD POINT IN THE SAME DIRECTION AS THE ARROW ON THE SIGN.

## NOTES:

- THE PED PUSH BUTTON POLE MAY SUPPORT A PUSH BUTTON ONLY OR, WHEN LOCATED ON A PED POLE, ALSO SUPPORT A PED SIGNAL INDICATION.
- THE PED PUSH BUTTON, WHEN LOCATED ON A SIGNAL POLE, MAY ALSO SUPPORT A SIGNAL MAST ARM AND LUMINAIRE.
- THE PED PUSH BUTTON, WHEN LOCATED ON A LUMINAIRE, MAY ALSO SUPPORT A PED SIGNAL INDICATION.

DIRECTION OF AUDIBLE MESSAGE









A			
A			
$\Delta$	1/20	3224	Minor modifications to push button detail
NO.	DATE	BY	DESCRIPTION
· REVISIONS ·			

Ada County Highway District

ADA ACCESSIBLE -SURFACE



ADA ACCESSIBILITY DETAIL 1

· SHEET TITLE ·	
Standard Ped	
Push Button Detail	
rush Button Detail	

TS-1108.01 Sheet 1 of 1